


Microwave Ceramics and Modules

Filter

3-Pole Filter for WSP

B69813N1477A840

Preliminary Data Sheet



Features

- SMD filter consisting of coupled resonators with stepped impedances
- (NdBa)TiO₃ ($\varepsilon_r = 88 / TC_f = 0\pm 10 \text{ ppm/K}$) with a coating of copper (10 μ m) and tin (>5 μ m)
- Excellent reflow solderability, no migration effect due to copper/tin metallization

Index

- Page 2 Component drawing
 - Recommended footprint
- Page 3 Characteristics
 - · Maximum ratings
 - Typical passband characteristic
- Page 4 Processing information
 - Soldering requirements
 - Delivery mode

ĺ									1
	ISSUE DATE	19.03.04	ISSUE	P5	PUBLISHER	SAW MWC PD	PAGE	1/4	

Microwave Ceramics and Modules


Filter

3-Pole Filter for WSP

B69813N1477A840


Preliminary Data Sheet

Component drawing



View from below onto the solder terminals and view from beside

Recommended footprint



ISSUE DATE	19.03.04	ISSUE	P5	PUBLISHER	SAW MWC PD	PAGE	2/4
						!	



Microwayo	Coramice	and Modules
IVIICIOWAVE	veraiillus i	

Filter

3-Pole Filter for WSP

B69813N1477A840

Preliminary Data Sheet


Characteristics

			min.	typ.	max.	
Center frequency		f _C	-	1472	-	MHz
Insertion loss		α_{IL}		1.8	2.3	dB
Passband		В	40			MHz
1dB Bandwidth				60		MHz
Amplitude ripple (peak - peak)		Δα		0.3	1.0	dB
Standing wave	ratio	SWR		1.5	2.0	
Impedance Attenuation		$\frac{Z}{\alpha}$		50		Ω
	DC to 1262 MHz		40	47		dB
	at 1262 to 1350 MHz		30	35		dBc
	at 1350 to 1380 MHz		25	28		dB
	at 1380 to 1400 Mhz		15	18		dB
	at 1660 MHz		30	31		dBc

Maximum ratings

IEC climatic category (IEC 68-1)		- 40/+ 90/56	
Operating temperature	T_{op}	- 20 / + 85	°C

Typical passband characteristic



ISSUE	DATE 1	19.03.04	ISSUE	P5	PUBLISHER	SAW MWC PD	PAGE	3/4	
-------	--------	----------	-------	----	-----------	------------	------	-----	--



Microwave Ceramics and Modules

Filter

3-Pole Filter for WSP

B69813N1477A840

Preliminary Data Sheet


Processing information


Wettability acc. to IEC 68-2-58: ≥ 75% (after aging)

Soldering Requirements

	Profile for eutectic SnPb solder paste	Profile for leadfree solder paste	
Soldering type	reflow	reflow	
Maximum soldering temperature (measuring point on top surface of the component)	235 (max. 2 sec.) 225 (max. 10 sec.)	260 (max. 2 sec.) 250 (max. 10 sec.)	°C °C

Recommended soldering conditions (infrared):






Delivery mode

Blister tape to IEC 286-3, polystyrol, grey

• Pieces/tape: 1500



© EPCOS AG 2001. All Rights Reserved. Reproduction, publication and dissemination of this data sheet, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

The information contained in this data sheet describes the type of component and shall not be considered as guaranteed characteristics. Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

ISSUE DATE	19.03.04 ISSUE	P5 PUBLISHE	R SAW MWC PD	PAGE	4/4	1
------------	----------------	-------------	--------------	------	-----	---